

REGISTERED A/D

Our Ref: CM/L-6800151509

Date: 12.06.2025

Subject: Grant of BIS Certification Marks Licence No. **CM/L-6800151509** as per
IS 16205 : PART 24 : 2017

M/S RHEO POLYMERS PRIVATE LIMITED

119A, Belur KIADB Industrial Area, DHARWAD, KARNATAKA - 580011

Dear Sir,

With reference to your application, we are pleased to inform you that it has been decided to grant you a licence to use the Standard Mark based on scheme Type E as per Schedule-I of Bureau of Indian Standards, Regulations, 2018 in respect of the following:

Product: Conduit Systems for Cable Management – Part 24 Particular Requirements – Conduit Systems Buried Underground

IS 16205 : PART 24 : 2017

Type/Size/Grade/Variety covered under licence:

1) Nominal Size : 40 mm, 50 mm, 63 mm, 75 mm, 110 mm, 120 mm 2) Material : non metallic 3) Resistance to compression : TYPE 450 4) Resistance to impact : light 5) Resistance to bending : pliable 6) Resistance to external influence : IP67 Protection against ingress of solid and water 7) Resistance to flame propagation : non flame propagation

1. The Licence is being granted for your factory situated at: 119A, Belur KIADB Industrial Area, DHARWAD, KARNATAKA - 580011 and the rights and privileges under the licence shall not be exercised by any other firm/company/factory, etc. This licence is not transferable. In the event of shifting of the manufacturing and testing equipment from the licenced premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and address of the new premises is endorsed in the licence
2. This licence carried obligations on part of the licence as conditions of licence which are given in the Annexure attached here with.
3. The licence is being granted with the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards referred above.
4. The number assigned to this licence is CM/L-6800151509 which has been made operative from 2025-04-02 and is valid upto 2026-04-01. The licence number should invariably be referred to in your future correspondence.

पहली मंजिल, के.एस.एफ.सी. बिल्डिंग, पि.बी. रोड, (हुबली-धारवाड हाईवे), रायापुर, धारवाड-580 009.
First Floor, KSFC Building, P.B. Road, (Hubli-Dharwad Highway), Rayapur, Dharwad-580 009.
फोन / Tel. : 0836-2957898, ई-मेल / E-mail : hubo@bis.gov.in, वेबसाइट / Website : www.bis.gov.in

"For detailed information on BIS, consult the e-BIS Portal (www.manakonline.in) / Please use **BIS CARE APP**
For verification of ISI-marked goods and hallmarked gold jewellery"

5. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. Our Receipt No. AA68PC 2024001541 dated 2025-03-07 for the licence fee and the minimum marking fee for the first operative period is already *issued/enclosed/being sent separately. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.
6. With a view to streamlining the reporting of quantity marked, calculation and collections of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal and the production marked during twelve months comprising the last three months of the previous operative year, at the time of second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
7. The Scheme of Inspection and Testing DOC: PM/ IS 16205 (Part 24) / 2/ Feb 2021 which has already been accepted by you will have to be implemented by your organization strictly and control function in your organization. The supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us and whenever this takes place.
8. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions are maintained. Preferred dimensions may be used as far as possible. Kindly get the designs of the stencil/label/rating plate incorporating the Standard Mark approved by us. You will be permitted to commence marking the above-mentioned product only after approval by this office.
9. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in hoardings, slides and newspapers only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the letterheads etc. with the Standard Mark will be destroyed/ obliterated. The required assurance may please be submitted in the enclosed proforma.
10. You are requested to intimate us the actual date from which you intend to introduce the use of Standard Mark on your product.
11. You are requested to intimate to this office the address of your servicing unit where applicable and the name and designation of the person, his telephone, mobile number and e-mail address who should be contacted in case of complaints. It is obligatory on your part as a licensee to keep this office informed about changes taking place from time to time in your declared list of servicing units.
12. You are also advised to make yourself and other employees in your organization aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed thereunder especially the implications in case of any intentional or unintentional non-adherence

Kindly acknowledge receipt of this letter.

Thanking you,

पी. एन. मुरली
बैज्ञानिक-ई / निदेशक एवं प्रमुख
P. N. MURALI
SCIENTIST-E / DIRECTOR & HEAD.
भारतीय मानक ब्यूरो, हुबली शाखा कार्यालय
Bureau of Indian Standards, Hubli Branch Office
पहली मंजलि, के एस एफ सी भवन, पी बी रोड,
First Floor, KSFC Building, P. B. Road,
हबली धारवाड हाइवे (Hubli Dharwad Highway)
पिन: 580008 RAYAPUR, Dharwad District



(P.N. MURALI)

SCIENTIST-E / DIRECTOR & HEAD